

CITY OF NIAGARA FALLS, NEW YORK

REQUEST FOR BIDS BID #33-08

Bids on items as specified herein will be accepted at City Hall until 11:00 A.M., and opened at 11:00 A.M. on October 14, 2008.

Bidders must state when delivery can be made.

All bids are subject to delivery as stated herein.

If a bid is submitted on an article intended as a substitute for a grade or brand specified, the bidder must state the grade or brand of the substitution, otherwise it will be assumed that the bid is based on the grade or brand specified.

The City reserves the right to accept this bid by items, or as a whole, or to reject any or all bids or waive informalities.

Bids are to be shown NET. Cash discounts are to be stated, if any.

All bids must be accompanied by the requisite bid bond IF SO STATED IN THE SPECIFICATIONS.

Provision of any required performance bond is the responsibility of the bidder.

Prices must be filled in with typewriter or ink on this form.

THE ENVELOPE CONTAINING THE BID MUST BE SEALED AND CLEARLY MARKED WITH THE BID NUMBER.

Any and all bids and contracts made or awarded by the City of Niagara Falls or any department, agency or official thereof for work or services performed or to be performed, or goods purchased or sold or to be purchased or sold are made subject to the provisions of Chapter 861 of the Laws of New York, 1953, as amended by Chapter 751 of the Laws of New York, and as now contained or as may hereafter be amended. The provisions of the New York State General Municipal Law and 103a and 103b are applicable to this bid.

BIDDER'S ATTENTION IS REQUESTED REGARDING THE FOLLOWING CONDITIONS AND REGULATIONS. BIDS NOT IN COMPLIANCE WITH THE FOREGOING CONDITIONS AND REGULATIONS WILL NOT BE CONSIDERED.

NON-COLLUSIVE BIDDING CERTIFICATION (PURSUANT TO CHAPTER 751 OF LAWS OF NEW YORK, 1965)

By submission of this bid or proposal, the bidder certifies that:

- a) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor;
- b) This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor or potential competitor;
- c) No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal;
- d) The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidders as well as to the person signing on it's behalf;
- e) That attached hereto (if a corporate bidder) is a certified copy or resolution authorizing the execution of this certificate by the signature of this bid or proposal on behalf of the corporate bidder.

(see reverse side for additional information)

COMPANY NAME:

ADDRESS:

TOTAL NET PRICE	DELIVERY PROMISED
CONTACT PERSON FOR QUESTIONS REGARDING BID	TELEPHONE NUMBER
AUTHORIZED SIGNATURE	DATE

TITLE

MAIL BIDS TO:
CITY OF NIAGARA FALLS
PURCHASING DIVISION ROOM 14-B
PO BOX 69
NIAGARA FALLS, NY 14302-0069

DELIVER BIDS TO:
CITY OF NIAGARA FALLS
CITY HALL ROOM 14-B
745 MAIN STREET
NIAGARA FALLS, NY 14302-0069

BIDS SUBMITTED BY FACSIMILE ARE UNACCEPTABLE

THIS PAGE INTENTIONALLY LEFT BLANK

**CITY OF NIAGARA FALLS
SPECIFICATIONS**

CARGO VAN

Please indicate "YES" or "NO" if the equipment being bid complies with each specification. If "NO", please describe variance in the exception column. If the item being bid exceeds any specification, check "NO" and describe the variance in the exception column.

DESCRIPTION:	YES	NO	EXCEPTION
1. Engine: 3.0 liter V-6 Turbo Diesel rated at 154 horsepower at 3,400 RPM with a minimum of 280 lb-ft of torque at 1,200 – 2,400 RPM.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Wheelbase: Minimum of 144 inches.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Transmission: 5-speed, automatic.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Color: White (Flame Red as an option)	<input type="checkbox"/>	<input type="checkbox"/>	
5. Roof: High Roof with minimum height of 107.5 inches.	<input type="checkbox"/>	<input type="checkbox"/>	
6. Turning Diameter: 47.6 feet	<input type="checkbox"/>	<input type="checkbox"/>	
7. Ground to sliding door step: 20.2 inches.	<input type="checkbox"/>	<input type="checkbox"/>	
8. Load Height (rear): 27.6 inches.	<input type="checkbox"/>	<input type="checkbox"/>	
9. Door Opening side (height): 71.7 inches.	<input type="checkbox"/>	<input type="checkbox"/>	
10. Door Opening rear (height): 72.4 inches	<input type="checkbox"/>	<input type="checkbox"/>	
11. Side Door Width: 51.2 inches	<input type="checkbox"/>	<input type="checkbox"/>	
12. Rear Door Width: 61.6 inches.	<input type="checkbox"/>	<input type="checkbox"/>	
13. Cargo Bed Length: 128.5 inches.	<input type="checkbox"/>	<input type="checkbox"/>	
14. Cargo Bed Width (at wheelhouse): 53.1 inches	<input type="checkbox"/>	<input type="checkbox"/>	
15. Maximum width at floor: 70.1 inches	<input type="checkbox"/>	<input type="checkbox"/>	
16. Interior Height: 76.4 inches (minimum)	<input type="checkbox"/>	<input type="checkbox"/>	
17. Cargo Volume (cu/ft): 371.0 cu/ft (minimum)	<input type="checkbox"/>	<input type="checkbox"/>	
18. Maximum GVWR (lb): 8,550 lbs.	<input type="checkbox"/>	<input type="checkbox"/>	
19. Base Curb Weight: (lb): 4,936 lbs.	<input type="checkbox"/>	<input type="checkbox"/>	
20. Maximum Towing (lb): 5,000 lbs.	<input type="checkbox"/>	<input type="checkbox"/>	
21. Fuel Tank Capacity (gal): 25.0 gallons	<input type="checkbox"/>	<input type="checkbox"/>	
22. Driver and Passenger Air Bags	<input type="checkbox"/>	<input type="checkbox"/>	
23. 4-Wheel, anti-lock brakes.	<input type="checkbox"/>	<input type="checkbox"/>	
24. Adaptive Electronic Stability Program	<input type="checkbox"/>	<input type="checkbox"/>	
25. Traction Control	<input type="checkbox"/>	<input type="checkbox"/>	
26. Front Heavy Duty Stabilizer Bar	<input type="checkbox"/>	<input type="checkbox"/>	
27. Rear Stabilizer Bar	<input type="checkbox"/>	<input type="checkbox"/>	
28. Power Rack and Pinion Steering	<input type="checkbox"/>	<input type="checkbox"/>	
29. Keyless Entry	<input type="checkbox"/>	<input type="checkbox"/>	

30. Power Locks	<input type="checkbox"/>	<input type="checkbox"/>	
31. Power Windows	<input type="checkbox"/>	<input type="checkbox"/>	
32. Starting Aid Contact (under hood)	<input type="checkbox"/>	<input type="checkbox"/>	
33. High Clearance Sliding Door	<input type="checkbox"/>	<input type="checkbox"/>	
34. 100 amp Battery	<input type="checkbox"/>	<input type="checkbox"/>	
35. Tool Kit	<input type="checkbox"/>	<input type="checkbox"/>	
36. Hydraulic Jack	<input type="checkbox"/>	<input type="checkbox"/>	
37. Electric Powered Auxiliary Heater	<input type="checkbox"/>	<input type="checkbox"/>	
38. Air Conditioning with Automatic Temperature Control	<input type="checkbox"/>	<input type="checkbox"/>	
39. Front Passenger Seat	<input type="checkbox"/>	<input type="checkbox"/>	
40. AM/FM Radio with Single Disc CD	<input type="checkbox"/>	<input type="checkbox"/>	
41. Front Speakers	<input type="checkbox"/>	<input type="checkbox"/>	
42. 4-Spoke Steering Wheel	<input type="checkbox"/>	<input type="checkbox"/>	
43. Tachometer	<input type="checkbox"/>	<input type="checkbox"/>	
44. Temperature Gauges	<input type="checkbox"/>	<input type="checkbox"/>	
45. Tire Pressure Monitor and Warning Signal	<input type="checkbox"/>	<input type="checkbox"/>	
46. Rear View Day/Night Mirror	<input type="checkbox"/>	<input type="checkbox"/>	
47. "Headlights On" Warning Chimes	<input type="checkbox"/>	<input type="checkbox"/>	
48. 12-Volt Power Outlet Mounted in Instrument Panel	<input type="checkbox"/>	<input type="checkbox"/>	
49. Front Rubber Floor Covering	<input type="checkbox"/>	<input type="checkbox"/>	
50. Exterior Manual Mirrors	<input type="checkbox"/>	<input type="checkbox"/>	
51. Tow Hooks	<input type="checkbox"/>	<input type="checkbox"/>	
52. 270 degree Door Opening	<input type="checkbox"/>	<input type="checkbox"/>	
53. Front Mud Flaps	<input type="checkbox"/>	<input type="checkbox"/>	
54. Roof Rails	<input type="checkbox"/>	<input type="checkbox"/>	
55. Tinted Windshield Glass	<input type="checkbox"/>	<input type="checkbox"/>	
56. 16" x 6.5" Steel Wheels	<input type="checkbox"/>	<input type="checkbox"/>	
57. LT245/75R16 Tires	<input type="checkbox"/>	<input type="checkbox"/>	
58. Rear Mud Flaps	<input type="checkbox"/>	<input type="checkbox"/>	
59. Full-Size Spare Tire	<input type="checkbox"/>	<input type="checkbox"/>	
60. Insulating Windshield with Band Filter	<input type="checkbox"/>	<input type="checkbox"/>	
61. Drivers seat Comfort Headrest	<input type="checkbox"/>	<input type="checkbox"/>	
62. Front Passenger seat Comfort Headrest	<input type="checkbox"/>	<input type="checkbox"/>	
63. Power Outlet at Base of Drivers Seat	<input type="checkbox"/>	<input type="checkbox"/>	
64. Luxury Bucket Drivers Seat	<input type="checkbox"/>	<input type="checkbox"/>	
65. Front Passenger's Luxury Bucket Seat	<input type="checkbox"/>	<input type="checkbox"/>	

66. Speed Control	<input type="checkbox"/>	<input type="checkbox"/>	
67. Locking Glove Box	<input type="checkbox"/>	<input type="checkbox"/>	
68. I/P Storage with Hinged Lid	<input type="checkbox"/>	<input type="checkbox"/>	
69. Premium Instrument Cluster	<input type="checkbox"/>	<input type="checkbox"/>	
70. Luxury Steering Wheel w/Remote Radio Controls	<input type="checkbox"/>	<input type="checkbox"/>	
71. Rear Bumper with Step Pad	<input type="checkbox"/>	<input type="checkbox"/>	
72. High Roof	<input type="checkbox"/>	<input type="checkbox"/>	
73. Cargo Partition Provisions	<input type="checkbox"/>	<input type="checkbox"/>	
THE FOLLOWING ACCESSORIES ARE TO BE INCLUDED AND INSTALLED BY THE SUCCESSFUL BIDDER PRIOR TO DELIVERY:			
74. Adrian Steel Sprinter Partition – to be installed between the cargo area and the cab. Partition to include a doorway that will allow passage between the two areas.	<input type="checkbox"/>	<input type="checkbox"/>	
75. Airpax Dimensions 12-Volt DC to 2400 W AC Power Inverter (or City determined equivalent) – unit to be installed by dealer in an area designated by representatives of the City of Niagara Falls.	<input type="checkbox"/>	<input type="checkbox"/>	

THIS PAGE INTENTIONALLY LEFT BLANK