

CITY OF NIAGARA FALLS, NEW YORK

REQUEST FOR BIDS BID #23-11

Bids on items as specified herein will be accepted at City Hall until 11:00 A.M., and opened at 11:00 A.M. on August 3, 2011.

Bidders must state when delivery can be made.

All bids are subject to delivery as stated herein.

If a bid is submitted on an article intended as a substitute for a grade or brand specified, the bidder must state the grade or brand of the substitution, otherwise it will be assumed that the bid is based on the grade or brand specified.

The City reserves the right to accept this bid by items, or as a whole, or to reject any or all bids or waive informalities.

Bids are to be shown NET. Cash discounts are to be stated, if any.

All bids must be accompanied by the requisite bid bond IF SO STATED IN THE SPECIFICATIONS.

Provision of any required performance bond is the responsibility of the bidder.

Prices must be filled in with typewriter or ink on this form.

THE ENVELOPE CONTAINING THE BID MUST BE SEALED AND CLEARLY MARKED WITH THE BID NUMBER.

Any and all bids and contracts made or awarded by the City of Niagara Falls or any department, agency or official thereof for work or services performed or to be performed, or goods purchased or sold or to be purchased or sold are made subject to the provisions of Chapter 861 of the Laws of New York, 1953, as amended by Chapter 751 of the Laws of New York, and as now contained or as may hereafter be amended. The provisions of the New York State General Municipal Law and 103a and 103b are applicable to this bid.

BIDDER'S ATTENTION IS REQUESTED REGARDING THE FOLLOWING CONDITIONS AND REGULATIONS. BIDS NOT IN COMPLIANCE WITH THE FOREGOING CONDITIONS AND REGULATIONS WILL NOT BE CONSIDERED.

NON-COLLUSIVE BIDDING CERTIFICATION (PURSUANT TO CHAPTER 751 OF LAWS OF NEW YORK, 1965)

By submission of this bid or proposal, the bidder certifies that:

- a) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor;
- b) This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor or potential competitor;
- c) No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal;
- d) The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidders as well as to the person signing on it's behalf;
- e) That attached hereto (if a corporate bidder) is a certified copy or resolution authorizing the execution of this certificate by the signature of this bid or proposal on behalf of the corporate bidder.

(see reverse side for additional information)

COMPANY NAME:

ADDRESS:

TOTAL NET PRICE	DELIVERY PROMISED
CONTACT PERSON FOR QUESTIONS REGARDING BID	TELEPHONE NUMBER
AUTHORIZED SIGNATURE	DATE

TITLE

MAIL BIDS TO:
CITY OF NIAGARA FALLS
PURCHASING DIVISION ROOM 14-B
PO BOX 69
NIAGARA FALLS, NY 14302-0069

DELIVER BIDS TO:
CITY OF NIAGARA FALLS
CITY HALL ROOM 14-B
745 MAIN STREET
NIAGARA FALLS, NY 14302-0069

BIDS SUBMITTED BY FACSIMILE ARE UNACCEPTABLE

THIS PAGE INTENTIONALLY LEFT BLANK

CITY OF NIAGARA FALLS DEPARTMENT OF PUBLIC WORKS SPECIFICATIONS

NEW & UNUSED FORKLIFT TRUCK 8000 LB. CAPACITY 2011 MODEL YEAR OR NEWER

Please indicate "YES" or "NO" if the equipment being bid complies with each specification. If "NO", please describe variance in the exception column. If the item being bid exceeds any specification, check "NO" and describe the variance in the exception column.

GENERAL:			
1. It is the intent of this specification to describe a new, unused, 2011 model year or newer Forklift Truck 8000 lb. capacity.			
2. These specifications shall be strictly adhered to. All exceptions and deviations shall be listed and fully explained on a separate page entitled 'Exceptions to Specifications', and shall reference the page number of the specifications. Bidder shall place a check mark in the appropriate column to signify compliance or non-compliance with each item of these specifications. Proposals taking total exception to these specifications shall NOT be considered. Each bid shall be accompanied by a set of manufacturer's specifications, consisting of detailed description of the equipment proposed. These specifications shall indicate size, type, model and make of all component parts and equipment. Failure to comply with these specifications shall disqualify your bid.			
3. Bidder to provide warranty information, and shall state the warranty terms offered for the major components of the equipment proposed.			
4. To be delivered to Central Garage Division, Public Works Department, 1785 New Road, Niagara Falls, New York 14304, at no cost to the City, no later than 160 days from receipt of purchase order.			
5. No demonstrator, prototypes or discontinued models.			
6. The City places a very high priority on service, and the availability of parts. Bidders are to be an authorized dealer for the manufacturer of the equipment proposed, and have a service facility within a distance of fifty (50) miles of type of purchaser's facility, where the proposed equipment is housed. Bidder to have available twenty-four (24) hour service and capable of supplying parts within twenty-four (24) hours.			
7. Successful bidder to furnish two (2) copies of parts/maintenance and service manuals for the complete unit furnished.			
CAPACITY:	YES	NO	EXCEPTION
8000 lbs. at 24" load center.	<input type="checkbox"/>	<input type="checkbox"/>	
WHEELBASE:	YES	NO	EXCEPTION
78.5"	<input type="checkbox"/>	<input type="checkbox"/>	
ENGINE:	YES	NO	EXCEPTION
Minimum 6 cylinder, 4.5 liter LP gas, EPA Tier II/CARB certified Electronic Fuel injected Engine 3 way catalytic converter. Two stage - Engine and transmission protection system, Heavy Duty. Cushion Mounted Radiator with ATM oil cooler, On-Board diagnostics and programmable service reminder, speedometer, engine coolant temperature gauge and warning light, radiator screen.	<input type="checkbox"/>	<input type="checkbox"/>	

MASK:	YES	NO	EXCEPTION
Minimum fork height: 138".	<input type="checkbox"/>	<input type="checkbox"/>	
Wide view mask with overall height lowered: 95.7".	<input type="checkbox"/>	<input type="checkbox"/>	
Free lift: 5.1".	<input type="checkbox"/>	<input type="checkbox"/>	
Tilt: 6 degree forward 12 degree back.	<input type="checkbox"/>	<input type="checkbox"/>	
Side shifter: 47.2" wide, hang on type.	<input type="checkbox"/>	<input type="checkbox"/>	
Carriage: standard 47.2" wide.	<input type="checkbox"/>	<input type="checkbox"/>	
Load backrest 48" high.	<input type="checkbox"/>	<input type="checkbox"/>	
Forks: standard length 48", thick 2.0", width 6.0".	<input type="checkbox"/>	<input type="checkbox"/>	
Auto-mask lock & return to neutral.	<input type="checkbox"/>	<input type="checkbox"/>	
HYDRAULIC CONTROL LEVER:	YES	NO	EXCEPTION
Single lift/tilt control lever 3 spool valve wit tandem hydraulic pump.	<input type="checkbox"/>	<input type="checkbox"/>	
DRIVE TIRES:	YES	NO	EXCEPTION
Pneumatic 8.25x15-14PR.	<input type="checkbox"/>	<input type="checkbox"/>	
STEER TIRE:	YES	NO	EXCEPTION
Pneumatic 7.00x12-12PR.	<input type="checkbox"/>	<input type="checkbox"/>	
GROUND SPEED CONTROL	YES	NO	EXCEPTION
Power/economy and high/low speed, key switches.	<input type="checkbox"/>	<input type="checkbox"/>	
LP FUEL TANK BRACKET:	YES	NO	EXCEPTION
Ergonomic swing - down bracket.	<input type="checkbox"/>	<input type="checkbox"/>	
TILT CYLINDER OPTION:	YES	NO	EXCEPTION
Tilt cylinder boot and cover.	<input type="checkbox"/>	<input type="checkbox"/>	
OVERHEAD GUARD COVER:	YES	NO	EXCEPTION
5 piece, reinforced high overhead guard 92.5" with polycarbonate rain guard.	<input type="checkbox"/>	<input type="checkbox"/>	
INTAKE AIR CLEANER:	YES	NO	EXCEPTION
Cyclone type air cleaner 7" diameter.	<input type="checkbox"/>	<input type="checkbox"/>	
PAINT:	YES	NO	EXCEPTION
Standard factory color.	<input type="checkbox"/>	<input type="checkbox"/>	

TRANSMISSION:	YES	NO	EXCEPTION
Single speed automatic transmission with full floating powertrain travel speed, unloaded minimum 11 mph, F/N/R transmission indicator.	<input type="checkbox"/>	<input type="checkbox"/>	
SEAT:	YES	NO	EXCEPTION
Full suspension operator, restraint seat must have seat actuated operator presence system. Seat must be capable of swiveling 15 degrees in either direction. Seat belt warning system. Rear view mirrors.	<input type="checkbox"/>	<input type="checkbox"/>	
WARNING SYSTEM:	YES	NO	EXCEPTON
Multi function LCD display: hour meter, clock, calendar and operator PIN access. Air cleaner and low brake fluid level warning. Low coolant level warning and low fuel warning light.	<input type="checkbox"/>	<input type="checkbox"/>	
STEERING:	YES	NO	EXCEPTION
Hydrostatic power steering synchronized steering with steering wheel knob. Infinitely adjustable tilt steering wheel.	<input type="checkbox"/>	<input type="checkbox"/>	
LIGHTS:	YES	NO	EXCEPTION
Headlights, turn, stop and back-up light, rear drive light and strobe light-amber.	<input type="checkbox"/>	<input type="checkbox"/>	
EXHAUST:	YES	NO	EXCEPTION
Vertical.	<input type="checkbox"/>	<input type="checkbox"/>	
BRAKES:	YES	NO	EXCEPTION
Hydraulic boosted brakes.	<input type="checkbox"/>	<input type="checkbox"/>	
SPARE TIRES:	YES	NO	EXCEPTON
One tire mounted on rim for front of machine and one rear steer tire mounted on rim.	<input type="checkbox"/>	<input type="checkbox"/>	
REPAIR & PARTS MANUALS:	YES	NO	EXCEPTON
Two sets of shop repair manuals and parts manuals.	<input type="checkbox"/>	<input type="checkbox"/>	
WARRANTY:	YES	NO	EXCEPTION
Twelve month warranty on entire machine. Twenty-four month warranty on drive train.	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	