

CITY OF NIAGARA FALLS, NEW YORK

REQUEST FOR BIDS BID #39-10

Bids on items as specified herein will be accepted at City Hall until 11:00 A.M., and opened at 11:00 A.M. on August 27, 2010.

Bidders must state when delivery can be made.

All bids are subject to delivery as stated herein.

If a bid is submitted on an article intended as a substitute for a grade or brand specified, the bidder must state the grade or brand of the substitution, otherwise it will be assumed that the bid is based on the grade or brand specified.

The City reserves the right to accept this bid by items, or as a whole, or to reject any or all bids or waive informalities.

Bids are to be shown NET. Cash discounts are to be stated, if any.

All bids must be accompanied by the requisite bid bond IF SO STATED IN THE SPECIFICATIONS.

Provision of any required performance bond is the responsibility of the bidder.

Prices must be filled in with typewriter or ink on this form.

THE ENVELOPE CONTAINING THE BID MUST BE SEALED AND CLEARLY MARKED WITH THE BID NUMBER.

Any and all bids and contracts made or awarded by the City of Niagara Falls or any department, agency or official thereof for work or services performed or to be performed, or goods purchased or sold or to be purchased or sold are made subject to the provisions of Chapter 861 of the Laws of New York, 1953, as amended by Chapter 751 of the Laws of New York, and as now contained or as may hereafter be amended. The provisions of the New York State General Municipal Law and 103a and 103b are applicable to this bid.

BIDDER'S ATTENTION IS REQUESTED REGARDING THE FOLLOWING CONDITIONS AND REGULATIONS. BIDS NOT IN COMPLIANCE WITH THE FOREGOING CONDITIONS AND REGULATIONS WILL NOT BE CONSIDERED.

NON-COLLUSIVE BIDDING CERTIFICATION (PURSUANT TO CHAPTER 751 OF LAWS OF NEW YORK, 1965)

By submission of this bid or proposal, the bidder certifies that:

- a) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor;
- b) This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor or potential competitor;
- c) No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal;
- d) The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidders as well as to the person signing on it's behalf;
- e) That attached hereto (if a corporate bidder) is a certified copy or resolution authorizing the execution of this certificate by the signature of this bid or proposal on behalf of the corporate bidder.

(see reverse side for additional information)

COMPANY NAME:

ADDRESS:

| | |
|---|--------------------------|
| TOTAL NET PRICE | DELIVERY PROMISED |
| | |
| CONTACT PERSON FOR QUESTIONS REGARDING BID | TELEPHONE NUMBER |
| | |
| AUTHORIZED SIGNATURE | DATE |
| | |

| |
|--------------|
| TITLE |
| |

MAIL BIDS TO:
CITY OF NIAGARA FALLS
PURCHASING DIVISION ROOM 14-B
PO BOX 69
NIAGARA FALLS, NY 14302-0069

DELIVER BIDS TO:
CITY OF NIAGARA FALLS
CITY HALL ROOM 14-B
745 MAIN STREET
NIAGARA FALLS, NY 14302-0069

BIDS SUBMITTED BY FACSIMILE ARE UNACCEPTABLE

This page intentionally left blank

City of Niagara Falls

New York

Specifications

Sound System for Niagara Falls Council Chambers

| Description | Manufacturer | Model # |
|--|--------------|---------|
| 1. 5-Astatic 40-118 microphone bases with on/off/mute switches or City approved equal (IED, Biamp, etc.). | | |
| 2. 5-Shure MX418/C lectern microphone and capsule or City approved equal (Audio Technica, AKG, etc.). | | |
| 3. 2-ProCo Custom WPE dual microphone input panels or City approved equal (Wireworks, Conquest, etc.). | | |
| 4. 1-Lowell L253-28 rack system or City approved equal (Winsted, Hammond, etc.). | | |
| 5. 1-Furman PS-PROII sequencer or City approved equal (Lyntec, Lowell, etc.). | | |
| 6. 1-Custom M-8 power conditioner or City approved equal (Lyntec, Furman, etc.). | | |
| 7. 1-IED 6450L 2 channel power amplifier or City approved equal (Rauland, Biamp, etc.). | | |
| 8. 1-Shure SLX24/SM58 wireless microphone system or City approved equal (Audio Technica, AKG, etc.). | | |
| 9. 2-Shure MX890 bases or City approved equal. | | |
| 10. 2-Shure SLX4L wireless receivers or City approved equal. | | |
| 11. 2-Shure MX412P/C microphones or City approved equal (Lectrosonics, Electro Voice, etc.). | | |
| 12. 1-Biamp Nexia CS processor or City approved equal (IED or BSS, etc.). | | |
| 13. 1-Biamp Nexia SP processor or City approved equal (IED or BSS, etc.). | | |
| 14. 2-Renkus Heinz ICX7 speakers and custom HK wall mounts or City approved equal (Intellivox, Duran Audio, etc.) The City prefers white speaker housings if possible. | | |
| 15. West Penn 25293 plenum cable or City approved equal. | | |
| 16. West Penn 25225 plenum cable or City approved equal. | | |

| | | |
|--|-----|-----|
| 17. Wire raceway and cable | | |
| 18. 1-Whirlwind Pressmite, 12 active or City approved equal (IED, Biamp, etc.). | | |
| 19. 1-Whirlwind CAT Press or City approved equal (IED, Biamp, etc.). | | |
| 20. 1-Listen LR-400-072 system with (4) LR receivers, antenna, charger case and rechargeable batteries or City approved equal (Phone Ear, Sennheiser IR, etc.), to include the following: <ul style="list-style-type: none"> • 4-Listen LA-161 single ear buds or City approved equal • 2-Listen LA-166 neck loop or City approved equal • 2-Listen LA-164 ear speakers • 2-Listen LA-165 headphones | | |
| 21. 1-D & M PD 670 digital recorder, flash drive, distribution amp and connectors or City approved equal (High Criteria, etc.). | | |
| 22. One year warrantee on all parts and labor commencing on date of City Acceptance of the system. | n/a | n/a |
| 23. System training of City staff on the proper operation of the system plus follow-up training if necessary during the first year after acceptance. | n/a | n/a |
| 24. O & M manuals for all equipment is to be provided. | n/a | n/a |
| 25. Provide with your bid 3 comparable projects your company has completed in the last 5 years. Include the company name, contact person and telephone number. | n/a | n/a |
| 26. The bid price is to include all equipment, material and labor required to make this a fully functioning sound system. | n/a | n/a |
| OPTION - INDUCTIVE LOOP SYSTEM | | |
| 1. 1-Crow CTS 1200, 1200 watt amplifier or City approved equal (IED, Biamp, etc.). | | |
| 2. 4-conductor 18 gauge wire loop around the room | n/a | n/a |
| 3. 1-Biamp Nexia SP processor or City approved equal (IED, BSS, etc.). | | |
| 4. To meet all other requirements as indicated in items 22 - 24 and 26. | n/a | n/a |